

TABLE A

## THEORETICAL SPREAD RATES IN SQ. FT. / GALLON DRY FILM THICKNESS AND VOLUME SOLIDS

% VOLUME SOLIDS	DRY FILM THICKNESS							
	1 MIL	2 MILS	3 MILS	4 MILS	5 MILS	6 MILS	8 MILS	10 MILS
30	481	241	160	120	96	80	60	48
35	561	281	187	140	112	94	70	56
40	642	321	214	160	128	107	80	64
45	722	361	241	180	144	120	90	72
50	802	401	267	201	160	134	100	80
55	882	441	294	221	176	147	110	88
60	962	481	321	241	192	160	120	96
65	1043	521	348	261	209	174	130	104
70	1123	561	374	281	225	187	140	112
80	1283	642	428	321	257	214	160	128
90	1444	722	481	361	289	241	180	144
100	1604	802	535	401	321	267	201	160